






















































































































































































































Light: Full sun  Part sun/shade  Full shade  Moisture: Dry  Moist  Wet  Supports: Birds or mammals  Pollinators 

| TREES - EVERGREEN   |                                  |   | pot size               | price              |
|---|----------------------------------|---|------------------------|--------------------|
| Cedar, Port Orford<br>    | <i>Chamaecyparis lawsoniana</i>  | Ht: to 200 feet, usually 100 feet. Mid-sized evergreen with gracefully flowing foliage and sturdy trunk. Strong vertical habit. Grows best in mild and moderate climates. Prefers some shade and requires moist but well-draining soil. Deer will eat.                          | 1 gal<br>5 gal         | \$7<br>\$25        |
| Cedar, Western Red<br>     | <i>Thuja plicata</i>             | Ht: to 200' x Sp: to 70'. Pyramidal conifer with fragrant, pendulous branching foliage. Attractive, peeling bark. Moderate growth rate. Tolerates poor soils. Deer will eat.  | 5 gal                  | \$25               |
| Fir, Douglas<br>    | <i>Pseudotsuga manziesii</i>     | Ht: to 120' x Sp: 30'. Young trees are fast growing, pyramidal and densely branched. Well-drained, dry to moist soil. Provides perfect setting for shade plants, attractive to birds and squirrels. State tree of Oregon.   | 1 gal                  | \$7                |
| Fir, Grand<br>    | <i>Abies, grandis</i>            | Ht: 120' x Sp: 30'. Pyramidal conifer. Prefers moist, well-drained soil. Drought tolerant. Shade intolerant.  | 1 gal                  | \$7                |
| Hemlock, Western<br>    | <i>Tsuga heterophylla</i>        | Ht: to 160' x Sp: to 40'. Large forest tree, a slow-growing narrow columnar conifer with fine foliage and drooping branchlets. Grows best in dense, moist forests.  | 1 gal                  | \$7                |
| Madrone, Pacific<br>     | <i>Arbutus menziesii</i>         | Ht: to 80' x Sp: to 70'. Upright broadleaf evergreen, more broadly round with age. Smooth reddish bark, white flowers, red berries. Fast growth, then slows. Needs good drainage; don't overwater. While very attractive, this tree litters throughout the year. Deer will eat. | 1 gal                  | \$10               |
| Pine, Shore<br>     | <i>Pinus contorta</i>            | Ht: to 20-35'. Found along the coast from Alaska to California and to the Rocky Mountains. Fast growing, Tolerant of low nutrient conditions. Has an open form with interesting branching patterns. Can be easily pruned or trained.  | 5 gal                  | \$25               |
| Pine, Valley Ponderosa<br>    | <i>Pinus ponderosa</i>           | Ht: to 180' x Sp: to 40'. Native to the Willamette Valley (aka Yellow Pine). Straight growth and scaled, colored bark with vanilla fragrance. Large cones, useful in holiday wreaths, swags.  | 1 gal                  | \$7                |
| TREES - DECIDUOUS   |                                  |   | pot size               | price              |
| Alder, Red<br>    | <i>Alnus rubra</i>               | Ht: to 80' x Sp: 20'. Upright, with attractive compound leaves. Brilliant yellow fall color. Needs moist soil. Uses: best in groves, as backdrop for native shrubs and wildflowers, riparian areas.   | 1 gal                  | \$7                |
| Ash, Oregon<br>     | <i>Fraxinus latifolia</i>        | Ht: to 75' x Sp: 60'. Will grow in standing water during winter but doesn't need dry season water. Olive-green leaves turn yellow in fall   | 1 gal                  | \$7                |
| Birch, Paper<br>     | <i>Betula papyrifera</i>         | Ht: to 70'. Trunk is creamy white, bark peels in papery layers. Leaves to 4" long. Small cone-like fruits stay thorough winter. Shade intolerant, needs regular water and well-draining soil.   | 1 gal                  | \$7                |
| Cascara<br>      | <i>Frangula purshiana</i>        | Ht: 30' x Sp: 15'. Tree or large shrub, inconspicuous flowers bloom late spring, dark purple berries ripen late summer. Fast grower, sensitive to air pollution; drought tolerant once established.   | 1 gal                  | \$7                |
| <b>NEW</b> Cottonwood<br>     | <i>Populus trichocarpa</i>       | Ht: to 100'. Fast growing and moderately long lived. Grows in an upright form. Yellow flowers bloom in mid-spring. Prefers sun and near water sources with very good drainage. Needs moist soil until mature, then becomes moderately drought tolerant.                         | 1 gal                  | \$6                |
| Crabapple, Pacific<br>     | <i>Malus fusca</i>               | Ht: to 40' x Sp: 15-20'. Upright, with fragrant, pink/white flowers followed by yellow/reddish edible fruits. Good fall color. Moderate growth rate. Needs moist soil. Uses: wildlife tree, ornamental, specimen, riparian, pectin. Deer will eat.                              | 5 gal                  | \$25               |
| Maple, Bigleaf<br>     | <i>Acer macrophyllum</i>         | Ht: to 100. Largest leaves of any maple. Found from stream bottoms to dry hillsides. Rapid growth.  | 1 gal                  | \$7                |
| Maple, Rocky Mountain<br>      | <i>Acer glabrum v. douglasii</i> | Ht: to 30' x Sp: 15'. Multi-stemmed tree or large shrub. Attractive foliage with orange to red fall color. Moderate growth rate. Well-drained soil with ample moisture. Uses: ornamental, forest understory. Aka Douglas Maple.   | 1 gal<br>5 gal         | \$7<br>\$25        |
| Maple, Vine<br>     | <i>Acer circinatum</i>           | Ht: to 35' x Sp: to 60'. Multi-stemmed upright tree in sun, or broad, spreading shrub in shade. Showy spring color with reddish tinges. Excellent fall color. Well-drained, moist soils. Uses: understory, espalier, ornamental. Deer will eat.                                 | band<br>1 gal<br>5 gal | \$5<br>\$7<br>\$25 |
| Oak, Black<br>    | <i>Quercus kelloggii</i>         | Ht: to 100' x Sp: to 50'. Native to areas with hot, dry summers and cool, moist winters. Many animals and birds eat acorns and browse leaves.   | 1 gal                  | \$7                |
| Oak, Oregon White<br>     | <i>Quercus garryana</i>          | Ht: to 60' x Sp: to 60'. Upright and rounded, with catkins followed by acorns, bronzy fall color in foliage. Moderate growth rate. Any soil. Uses: restoration, wildlife, specimen.   | 5 gal                  | \$25               |



































Light: Full sun  Part sun/shade  Full shade  Moisture: Dry  Moist  Wet  Supports: Birds or mammals  Pollinators 

| TREES – DECIDUOUS (continued)  |                                    |  | pot size       | price       |
|--|------------------------------------|--|----------------|-------------|
| Willow, Pacific<br>     | <i>Salix lucida ssp. lasiandra</i> | Ht: 13' to 36'. Fast growing, short-lived. Has 4" catkins late spring after leaves emerge, and slender dark green leaves. Prefers full sun, moist soil and often grows in standing water. Provides food and cover for many species. Stems used in basket making. | 1 gal          | \$7         |
| Willow, Sitka<br>     | <i>Salix sitchensis</i>            | Ht: to 24'. Brown bracts provide contrast to silvery catkins. Blooms April-June. Occasionally found in non-wetlands. Plant away from drain fields, perforated pipe, septic systems and water and sewer lines.  | 1 gal          | \$7         |
| SHRUBS   |                                    |  | pot size       | price       |
| Azalea, Western<br>     | <i>Rhododendron occidentale</i>    | Ht: to 10' x Sp: 5'. Upright, multi-stemmed, deciduous. Pinkish white, fragrant flowers May/June. Moderate growth rate. Requires moist, acidic soils. Uses: en masse with evergreens, forest understory, stream banks.   | 1 gal          | \$15        |
| Buckbrush, Narrowleaf<br>     | <i>Ceanothus cuneatus</i>          | Ht: to 18' x Sp: 10'. Upright, rounded, evergreen. White flowers. Moderate growth rate. Well-drained soils. Uses: screens, naturalizing, dry slopes.   | 1 gal          | \$8         |
| Chokecherry<br>     | <i>Prunus virginiana</i>           | Ht: to 20' x Sp: 25'. Attractive foliage is sometimes a deep maroon with yellow to red fall color. Flowers in dense cylindrical clusters, black cherries enjoyed by birds. Well-drained soil with ample moisture. Uses: ornamental, forest understory.           | 1 gal          | \$7         |
| Currant, Alpine<br>     | <i>Ribes alpinum</i>               | Ht: to 6' x Sp: 6'. Compact, mound-forming shrub with green leaves that turn dull yellow in the fall. Flowers are greenish-yellow and inconspicuous, blooming in April on 1-2" racemes ripening to showy red inedible berries.                                   | 1 gal          | \$7         |
| Currant, Golden<br>     | <i>Ribes aureum</i>                | Ht: to 9' x Sp: 5'. Upright woody ornamental shrub with golden-yellow spicy fragrant flowers that hang in clusters from tall wand-like stems. Berries bitter, shiny red, orange or black with pollination. Grows in moist woods, along streams.                  | 1 gal          | \$7         |
| Currant, Red Flowering<br>      | <i>Ribes sanguineum</i>            | Ht: to 10' x Sp: 8'. Deciduous, multi-stemmed, bushy. Bright red flowers in early spring followed by blue-black berries in the fall. Very attractive to hummingbirds. A lovely native plant that needs little care once established. Deer will eat.              | 1 gal<br>2 gal | \$7<br>\$12 |
| <b>NEW</b> Dogwood, Dwarf Red Twig<br>      | <i>Cornus sericea, Kelseyi</i>     | Ht: 2-3'. Small mounding cultivar of red twig. Dark red branches especially visible in winter. Leaves turn red to orange in fall. Late spring white flowers, white berries in fall. Tolerates most soils but prefers moist. Deer resistant.                      | 1 gal          | \$7         |
| Dogwood, Red-Osier<br>      | <i>Cornus sericea</i>              | Ht: to 25' x Sp: to 30'. Multi-stemmed, upright, dense, deciduous. Flowers, berries, bright red stems pronounced in winter. Fast growth rate, spreads by stolons. Any soil, prefers moist. Uses: riparian, screen, masses.                                       | 1 gal          | \$7         |
| Dogwood, Yellow Twig<br>      | <i>Cornus sericea</i>              | Variety of the red twig with bright yellow stems in winter.  | 1 gal          | \$8         |
| Elderberry, Red<br>     | <i>Sambucus racemosa</i>           | Ht: to 10' x Sp: 10'. Deciduous, multi-stemmed, bushy. White flowers in spring followed by red berries. Fast growth rate. Any soil, prefers moist. NOTE: Berries can cause gastric distress in humans. Stems, bark, leaves and roots TOXIC to humans.            | 1 gal          | \$7         |
| Gooseberry, Coastal<br>      | <i>Ribes divaricatum</i>           | Ht: 3-9'. Shrub with arching stems with few to many stout spines at nodes. Flowers with petals of white, pink or red, stamens extending beyond petals. Berries shiny black.  | 1 gal          | \$7         |
| Hawthorn, Black<br>      | <i>Crataegus douglasii</i>         | Ht: to 30' x Sp 12'. Large shrub, can form thickets. Drought tolerant, tolerates brief flooding. White flowers, black edible berries. Stems have long thorns. Uses: Soil stabilization, informal hedge.  | 1 gal          | \$7         |
| Honeysuckle, Hairy<br>      | <i>Lonicera hispidula</i>          | Ht: to 10'. Climbing deciduous vine. Yellow flowers on many-branched, sometimes hairy vines. Small bunches of bright red berries. Moderate to fast growth rate. Any soil, best in moist. Uses: Best on trees or large shrubs.                                    | 1 gal          | \$8         |
| Huckleberry, Evergreen<br>     | <i>Vaccinium ovatum</i>            | Ht: to 15' (shade) x Sp: to 12' (shade); 5' x 3' (sun). Upright, broadleaf evergreen with glossy foliage and edible berries. Slow to moderate growth. Moist, acidic soils. Uses: floral arrangements, screening, woodland, pies/jams. Deer will eat.             | Band<br>1 gal  | \$5<br>\$8  |
| Kinnikinnick<br>     | <i>Arctostaphylos uva-ursi</i>     | Ht: to 3' x Spreads widely. Mat-like broadleaf evergreen ground cover. White flowers/red berries upon establishment. Slow to moderate growth rate. Needs good drainage, prefers sandy soil. Uses: ground cover, erosion control.                                 | 1 gal          | \$8         |
| Ninebark, Pacific<br>    | <i>Physocarpus capitatus</i>       | Ht: to 12' x Sp: to 6'. Named because of their peeling bark. Plants resemble spiraea and are closely related, bearing round clusters of tiny white or pinkish flowers in summer. Clustered buds are as attractive as the opened blossoms.                        | 1 gal          | \$7         |
| Oceanspray<br>     | <i>Holodiscus discolor</i>         | Ht: to 20' x Sp: to 8'. Deciduous, multi-stemmed, with arching branches. Large clusters of frothy white flowers in spring. Moderate growth rate. Any soil, best in moist. Uses: woodland, background plant.  | 1 gal          | \$7         |

























































































Light: Full sun  Part sun/shade  Full shade  Moisture: Dry  Moist  Wet  Supports: Birds or mammals  Pollinators 

| SHRUBS (continued)  |                              |  | pot size | price |
|---|------------------------------|--|----------|-------|
| Orange, Mock<br>                       | <i>Philadelphus lewisii</i>  | Ht: to 12' x Sp: to 6'. Upright, deciduous, multi-stemmed. Very fragrant white flowers in spring. Fast growth rate. Best in moist soils, though can be drought tolerant once established. Uses: hedging, screen, shrub border.   | 1 gal    | \$7   |
| Oregon Grape, Creeping<br>             | <i>Mahonia repens</i>        | Ht: to 1' x Sp: 3'. Spreads by stolons. Evergreen ground cover. Dull, bluish green leaves, bronze/maroon in winter. Yellow flowers in spring followed by blue berries. Moderate growth rate. Any soil. Uses: dry, sunny banks.   | 1 gal    | \$8   |
| Oregon Grape, Tall<br>                 | <i>Mahonia aquifolium</i>    | Ht: x to 6' x Sp: 5'. Spreads by stolons. Erect evergreen, maroon leaves in winter. Yellow flowers in spring, edible blue berries. Moderate growth rate. Any soil. Uses: en masse, woodlands, container, jelly.  | 1 gal    | \$5   |
| Plum, Indian<br>                       | <i>Oemleria cerasiformis</i> | Ht: to 20' x Sp: To 6'. Upright, deciduous, arching habit. Pendant white flowers in March. Purple plums in fall. Moderate growth rate. Any well-drained soil. Uses: en masse in woodland setting, land reclamation. Deer will eat.                                       | 1 gal    | \$7   |
| Raspberry, Black Cap<br>               | <i>Rubus leucodermis</i>     | Upright to 6'. Berries have whitish skin. Prefers sun and well-drained soil but tolerates shade. Heavy pruning encourages more fruit production.   | 1 gal    | \$7   |
| Rose, Nootka<br>                       | <i>Rosa nutkana</i>          | Ht: to 10' and can spread in thickets. Multi-stemmed with prickly thorns. Attractive, fragrant purple-pink flowers, 2-3" wide. Showy hips in fall. Uses: forest understory, screen, fencerow, riparian areas, restoration.   | 1 gal    | \$7   |
| Rose, Woods<br>                        | <i>Rosa woodsii</i>          | Ht: 6'. Prickly to almost no thorns. Pink flowers bloom late spring to mid-summer. Grows near streams, open woods. Prefers sun to part shade and moist soil. Tolerates hot, dry summers and cold winters. Uses: erosion control, attract wildlife.                       | 1 gal    | \$7   |
| Salal<br>                              | <i>Gaultheria shallon</i>    | Ht: to 10' x Spreads by stolons and layering. Broadleaf evergreen can form dense thickets. Spring blooms, purple edible fruit. Slow to establish, then aggressive. Prefers filtered shade, well-drained, moist soils. Uses: en masse, shrub border. Deer will eat.       | 1 gal    | \$8   |
| Salmonberry<br>                | <i>Rubus spectabilis</i>     | Ht: to 12', spreading into thickets under ideal conditions. Ornamental purple flowers in late spring followed by yellow to orange red edible fruits. Well-drained, moist soils. Uses: en masse, shrub border, preserves, stream margins.                                 | 1 gal    | \$7   |
| Serviceberry, Saskatoon<br>    | <i>Amerlanhier alnifolia</i> | Ht: to 10' x broadly spreading. Deciduous, multi-stemmed, arching branches. White flowers in spring, edible summer fruits, good fall color. Moderate growth rate. Well-drained, moist soils. Uses: shrub border, sunny banks.  | 1 gal    | \$7   |
| Snowberry, Common<br>          | <i>Symphoricarpos albus</i>  | Ht: 2-6'. Adaptable deciduous shrub having attractive foliage and cluster of waxy white berries that persist through winter.   | 1 gal    | \$7   |
| Spirea, Western<br>            | <i>Spiraea douglasii</i>     | Ht: to 6'. Erect shrub. Excellent for restoring wetlands and controlling erosion on ditch banks or wet areas. Spreads by rhizomes. Can be grown in shrub beds or as part of a hedgerow. Many pink flowers. Attractive to butterflies and bees.                           | 1 gal    | \$7   |
| Thimbleberry<br>               | <i>Rubus parviflorus</i>     | Ht: 4'-6'. Dense shrub with slender canes. Grows in forest understory. Large white flowers, edible red fruit. Large, maple-like leaf. Attractive to bees, birds and sphinx moth. Prefers sun with moist soil, but will tolerate shade and drier site.                    | 1 gal    | \$7   |
| Twinberry<br>                  | <i>Lonicera involucrata</i>  | Ht: to 9' x Sp: 5'. Spreading to erect woody ornamental shrub, young stems are square. Pale yellow trumpet-shaped flowers in pairs set off by dark green leaves. Purplish black fruits. Drought tolerant when established.   | 1 gal    | \$7   |
| Wahoo, Western<br>             | <i>Euonymus occidentali</i>  | Ht: 6'-15'. Small shrub with purplish red flowers, seeds reddish orange. Good substitute for Burning Bush. Does well in riparian areas with plenty of shade. Food source for birds and wildlife. Toxic to dogs, cats and horses.   | band     | \$8   |
| Wax Myrtle, Pacific<br>        | <i>Myrica californica</i>    | Ht. 20-30'. Fast-growing versatile evergreen native. Glossy foliage is accented by purple fruit. Full sun, or some afternoon shade with only occasional water once established. Tolerates shade but will not be as attractive. Uses: windbreak, screen or clipped hedge. | 1 gal    | \$8   |
| HERBACEOUS  |                              |  | pot size | price |
| Aster, Douglas<br>    | <i>Aster subspicatus</i>     | Ht: 2-3" x SP: 2-3'. Multi-stemmed. Pale lavender-blue daisylike flowers from mid-summer to midfall. Somewhat drought tolerant, but does best with summer water. Uses: wildflower gardens, perennial border, host for endangered butterflies.                            | 3.5"     | \$4   |
| Bleeding Heart, Pacific<br>     | <i>Dicentra formosa</i>      | Ht: to 18". Pendant pale to deep rose flowers on red stems. Blue-green fern-like foliage. Prefers moist, shady areas. Uses: moist woodlands and shady flower borders.  | 3.5"     | \$4   |
| Brodiaea, Harvest<br>          | <i>Brodiaea elegans</i>      | Ht: 16". Flowers are long-funnel shaped, violet to blue-purple and bloom midspring to mid-summer after leaves dry. Plants go dormant after blooming and prefer to dry out. Lovely plant for rock garden preferably away from irrigation.                                 | band     | \$4   |



















































Light: Full sun  Part sun/shade  Full shade  Moisture: Dry  Moist  Wet  Supports: Birds or mammals  Pollinators 

| HERBACEOUS (continued)   |   |   | pot size      | price      |
|--|---|---|---------------|------------|
|    | Brodiaea, White<br><i>Triteleia hyacinthine</i>           | Ht: 16". White flowering plant, grows from a corm. Flower cluster rise 24" above leaves. Prefers gravelly soil, meadows and grasslands. Prefers moist soil but can grow in wetlands that dry by late summer.  | band          | \$4        |
|     | Buckwheat, Arrowleaf<br><i>Eriogonum compositum</i>       | Ht: to 24" x Sp: 15". Perennial evergreen subshrub with frothy pale yellow flowers. Well-drained soils. Uses: dry borders, rock gardens.  | 1 gal         | \$7        |
|     | Bunchberry<br><i>Cornus canadensis</i>                    | Ht: 6-9" x spreads by stolons. Deciduous ground cover. White bracts in spring, red berries late summer. Hard to establish, best in full shade. Prefers rich, acidic, moist soil. Companion plant for ferns, lilies, and trilliums; bank stabilization. Deer will eat. | 4"            | \$5        |
|     | Camas, Common<br><i>Camassia quarrash</i>                 | Ht: to 2'. Bulb with pale to deep blue/violet flowers on terminal spikes, grass-like leaves. Member of the lily family. Likes heavy soil. Blooms April to June. Noted in journals of Lewis and Clark in 1806.   | band          | \$4        |
|     | Checkermallow<br><i>Sidalcea malviflora</i>               | Ht 4'. Attractive low clump of glossy roundish purple foilage with many strong multi branching upright stems with fuchsia-pink blooms summer through fall. Tough, long lived tolerant of less than perfect soil.  | 3.5"          | \$4        |
|     | Checkermallow, Henderson's<br><i>Sidalcea hendersonii</i> | Ht: 3-5' x Sp: 1-2'. Tall, easy-to-grow perennial. Deep pink hollyhock-like flowers bloom late spring. Uses: Moist/wet wildflower garden, host for butterflies. Endangered in Oregon.   | band          | \$4        |
| <b>NEW</b>   | Coneflower, Purple<br><i>Echinacea purpurea</i>           | Ht 3'. Long blooming daisy like purple blooms from summer to fall. Prefers full sun with well drained soil. Attracts bees, butterflies and hummingbirds.  | band<br>1 gal | \$4<br>\$7 |
|  | Fairy Bells, Hooker's<br><i>Disporum hookeri</i>          | Ht: to 3' x spreads by rhizomes. Herbaceous perennial. Pendant whitish flowers in spring followed by orange/red berries. Moderate growth rate. Prefers moist, shady situations. Uses: forest understory, shady border.  | 4"            | \$4        |
|    | Fringecup<br><i>Tellima grandiflora</i>                   | Ht: to 1' . This herbaceous perennial blooms in late spring and displays greenish-white to pink urn-shaped flowers on 1' spikes. Leaves are light green, softly hairy, to 4" across. Choice plant to combine with ferns in a woodland setting.                        | 3.5"          | \$4        |
|     | Geranium, Western<br><i>Geranium oregonum</i>             | Rapidly growing perennial found in moist meadows and shaded forests. Pink-purple flower bloom in May-July. Grows in part sun or shade and moist to dry well-drained soil.   | 1 gal         | \$8        |
| <b>NEW</b>   | Geum, Oregon Avens<br><i>Geum macrophyllum</i>            | Ht: 1-3'. Heart-shaped terminal leaflet with 3-10 flowers at top. Grows in streambanks, edges of woods, moist meadows. Blooms spring through summer. Prefers moist soil.  | 3.5"          | \$3        |
|  | Ginger, Wild<br><i>Asarum caudatum</i>                    | Ht: to 10". Herbaceous perennial. Glossy, heart-shaped leaves with chocolate/maroon flowers under leaves. Slow to moderate growth rate. Prefers shade with regular moisture. Uses: ground cover. NOTE: Bait for slugs.  | 3.5"<br>1 gal | \$5<br>\$8 |
|    | Goat's Beard<br><i>Aruncus dioicus</i>                    | Ht: to 6' x Sp: To 6'. Herbaceous perennial. Ferny foliage with tiny white flowers in spring/summer. Fast growth rate. Prefers moist situations in partial to full shade. Uses: woodland, background planting in shrub border.  | 3.5"          | \$4        |
|    | Goldenrod<br><i>Soldigo canadensis</i>                    | Ht: 3-6'. Tall, leafy, finely hairy stim with yellow flower heads on arching branches in a long or flat-topped cluster at top. Usually blooms late summer.  | 3.5"          | \$4        |
|    | Grass, Blue-eyed<br><i>Sisyrinchium idahoense</i>         | Ht: to 16". Long, very narrow, mostly basal leaves. Flowers blue to bluish-purple, often with yellow "eye" in terminal clusters of 1-5 flowers.   | 3.5"          | \$4        |
|     | Grass, Golden-eyed<br><i>Sisyrinchium californicum</i>    | Ht: to 15". Yellow flowers open in May to June. Related to iris. Prefers wet, low, poorly drained soil.   | band          | \$4        |
|    | Grass, Tufted Hair<br><i>Deschampsia cespitosa</i>        | Clump-forming, cool season grass forming dark green tussock to 16". Numerous variably-colored flower stems rise to 3' in summer and remain interesting in winter. One of few ornamental grasses that grow well in shade.  | 1 gal         | \$6        |
|    | Inside-out Flower<br><i>Vacouveria hexandra</i>           | Ht: 1' x Spread by rhizomes. Herbaceous perennial. Erect habit with dainty white flowers in spring. Moderate growth rate. Prefers moist situation in filtered to full shade. Uses: ground cover, front of shrub border.   | 3.5"          | \$4        |
|    | Iris, Oregon<br><i>Iris tenax</i>                         | Ht: to 18" x spread by rhizomes. Low-growing, tufted perennial. Spring flowers of lavender to purple on erect stems over grass-like leaves. Uses: rock gardens, flower borders, wildflower garden, bank stabilization.  | band          | \$4        |
|     | Larkspur, Columbian<br><i>Delphinium trollifolium</i>     | Ht: to 2' x Sp: to 2'. Herbaceous perennial. Light to dark blue flowers in early summer. Need rich, porous soil in moist situation. Uses: flower border, cut flower. NOTE: All parts of delphinium are TOXIC if ingested. Poisonous to horses and cattle.             | band          | \$4        |

Light: Full sun  Part sun/shade  Full shade  Moisture: Dry  Moist  Wet  Supports: Birds or mammals  Pollinators 

| HERBACEOUS (continued)   |                                |  | pot size      | price      |
|--|--------------------------------|--|---------------|------------|
| Lily, Chocolate<br>     | <i>Fritillaria lanceolata</i>  | Ht: to 32". Lance-shaped leaves in 1-2 whorls of 3-5 leaves. Hanging bowl-shaped flowers yellow at base, checkered with brown, red or purple. Uses: woodland or shaded wildflower garden with ferns.   | band          | \$5        |
| Lily, Forktooth Ookow<br>     | <i>Dichelostemma congestum</i> | Ht: 8-40". Erect stem with deep channel down center. Flower cluster round and dense light to very dark blue or purple bell shaped. Blooms mid-summer. Uses: open meadow, grasslands.   | band          | \$4        |
| Lily, Oregon Fawn<br>     | <i>Erythronium oregonum</i>    | Ht: to 16". Herbaceous perennial from corm. Creamy to white flowers in the spring. Mottled basal leaves. Prefers moist, shady situations. Uses: woodland garden. Aka White Fawn.   | band          | \$5        |
| Lily, Tiger<br>      | <i>Lilium columbianum</i>      | Ht: to 4'. Herbaceous perennial from corm. Orange flowers spotted with maroon in late spring. Prefers moist, sunny sites but tolerates some drought. Uses: wildflower garden, flower border, rock garden, woodland. NOTE: Protected species. | band          | \$7        |
| Lily-of-the-Valley, False<br>      | <i>Maianthemum dilatatum</i>   | Ht: to 10". Herbaceous perennial. Waxy white flowers in spring above heart-shaped leaves. Showy green berries in summer, turning red. Prefers shady, moist situations. Uses: woodland garden, shady borders, stream bank/pond.               | 3"            | \$4        |
| Lupine, Big Leaf<br>       | <i>Lupinus polyphyllus</i>     | Ht: to 4'. Herbaceous perennial. Tall spires of blue to purple flowers above attractive foliage in late spring/early summer. Any well-drained, moist soil. Uses: en masse, naturalized in moist meadow.                                      | band          | \$4        |
| Milkweed, Orange<br>      | <i>Asclepias tuberosa</i>      | Ht: 1.5-2'. Large, flat-topped clusters of bright orange flowers. Drought tolerant, prefers well-drained soil, needs full sun. Easily propagated from rhizomes and seeds.  | band          | \$4        |
| Milkweed, Showy<br>     | <i>Asclepias speciosa</i>      | Ht: to 3' x Sp: 3'. Perennial on sturdy stem. Pink-purple flowers in spring and summer. Showy, hairy seed heads. Uses: wildflower garden, open meadows. NOTE: can be TOXIC if ingested.  | band<br>1 gal | \$4<br>\$7 |
| Monkeyflower, Scarlet<br>      | <i>Mimulus cardinalis</i>      | Ht: to 2-1/2'. Upright or sprawling stems and bright green, sticky 1-3" leaves. Tubular scarlet 1-1/2" to 2" long flowers bloom throughout summer. Needs ample water.  | 3.5"          | \$4        |
| Monkeyflower, Yellow<br>       | <i>Mimulus guttatus</i>        | Ht: 2-3' x Sp: 1-2'. Deciduous perennial. Large, trumpet-shaped yellow flowers bloom from spring to fall. Uses: meadow gardens, near ponds & wetlands, containers.   | band          | \$4        |
| Onion, Mountain<br>      | <i>Allium madidum</i>          | Ht: to 12". Two leaves up to 10" long. Blooms May, June & July with white pale pink or green midveins.   | 3.5"          | \$4        |
| Onion, Nodding<br>       | <i>Allium cernuum</i>          | Ht: to 40". Perennial from oval clustered bulbs, smelling strongly of onion. Flowers pink to rose-purple or white, bell shaped, numerous in nodding, umbrella-shaped clusters. Grass-like leaves remain green through flowering.             | 3.5"          | \$4        |
| Oregon Sunshine<br>     | <i>Eriophyllum lanatum</i>     | Ht: to 2'. Herbaceous perennial. Clump-forming plant with yellow flowers from May-August; grayish foliage. Flowers best in full sun. Well-drained soil. Uses: wildflower garden, rock garden, perennial border.                              | 3.5"          | \$4        |
| Oxalis, Oregon<br>      | <i>Oxalis oregana</i>          | Ht: 8". Prostrate perennial. Numerous, large, clover-like leaves. Flowers white to pale pinkish, blooms April to August. Aggressive spreader.  | 3.5"          | \$4        |
| Piggyback Plant<br>      | <i>Tolmiea menziesii</i>       | Mounds of scalloped leaves, semi-evergreen groundcover. Slender flower stalks 1-3' tall bloom April-June. Shady areas in damp forests and stream banks. Tolerant of wet soil.  | 3.5"          | \$4        |
| Shooting Star, Henderson's<br>      | <i>Dodecatheon hendersonii</i> | Ht: to 2'. Herbaceous perennial. Clusters of flowers atop leafless stem range from white to magenta in spring. Basal rosettes dry up in summer heat. Prefers moist conditions in rich, well-drained soil.                                    | band          | \$4        |
| Stonecrop, Broad-leaf<br>    | <i>Sedum spathulifolium</i>    | Ht: to 8". Very drought tolerant. Spoon-shaped 1" blue-green leaves are packed into rosettes on short trailing stems. Light yellow flowers bloom in spring and summer. Uses: ground cover, rock gardens.                                     | 3.5"          | \$4        |
| Stonecrop, Oregon<br>     | <i>Sedum oregonum</i>          | Ht: to 8" x spreads widely, can be aggressive. Succulent perennial with shiny leaves, yellow flowers on short stalks in summer. Best in full sun, well-drained soil, little summer water. Uses: rock garden, open forest settings.           | 3.5"          | \$4        |
| Strawberry, Coastal<br>      | <i>Fragaria chiloensis</i>     | Ht: 4-8". Lush, compact mat of glossy green leaves with tooth-edged leaflets, red tones in winter. White 1" flowers in spring, may have a few seedy 3/4" fruits in fall. Bait for slugs. Uses: groundcover, borders, edging, rock gardens.   | 3.5"          | \$3        |
| Strawberry, Woodland<br>      | <i>Fragaria vesca</i>          | Ht: 2-5" x Sp: 6-8". Deciduous, trailing perennial. Flowers bloom in spring followed by small, intensely flavored berries. Rich, moist, well-drained soil. Uses: ground cover for open, partly shaded spaces.                                | 3.5"          | \$3        |

Light: Full sun  Part sun/shade  Full shade  Moisture: Dry  Moist  Wet  Supports: Birds or mammals  Pollinators 

| <b>HERBACEOUS (continued)</b>   |   |  | <b>pot size</b> | <b>price</b> |
|---|---|--|-----------------|--------------|
|     | <b>Thrift / Seapink</b><br><i>Armeria maritima</i>        | Ht: 4-16". Tufted mounds spread to 1'; leaves 6" long. White to rose pink flowers in tight clusters on 6-10" stalks. Bloom is profuse in spring and almost all year in mildest climates. Uses: sunny border, rock gardens.     | 4"              | \$4          |
|       | <b>Trillium, Western</b><br><i>Trillium ovatum</i>        | Ht: to 16". Showy 3-petalled flowers in white or tinged pink in spring, above 3 leaves. Needs shady, moist sites. Uses: shady part of wildflower garden, among ferns or azaleas, woodland. Deer will eat.                      | 3.5"<br>1 gal   | \$7<br>412   |
|        | <b>Vanilla Leaf</b><br><i>Achlys triphylla</i>            | Ht: 6-12". White, bottlebrush-like flowers from May-June. Dried crushed leaves release sweet aroma. Leaves remain through winter as skeletons. Pollinated by wind. Needs consistently moist, rich humus.                       | 3.5"            | \$5          |
|        | <b>Violet, Early Blue</b><br><i>Viola adunca</i>          | Ht: to 4". Broadly triangular leaves, blue to violet flowers which are stemless early in the season and later develop stems. Blooms April-June. Edible.  | 3.5"            | \$4          |
|        | <b>Violet, Pioneer</b><br><i>Viola glabella</i>           | Ht: to 1' x Sp: To 15". Deciduous. Yellow flowers, heart-shaped foliage in the late spring/early summer. Best in moist, well-drained soil in partial to full shade. Uses: woodland garden, container, border.                  | band            | \$4          |
|       | <b>Waterleaf, Pacific</b><br><i>Hydrophyllum tenuipes</i> | Ht: 12-30" Herbaceous plant spreads by rhizomes. Blooms mid-spring to mid-summer. Large deeply cut leaves, with large lobes. Shaded, moist areas along streams and in woods. Good groundcover. Leaves and rhizomes are edible. | 3.5"            | \$4          |
|       | <b>Yarrow</b><br><i>Achillea millefolium</i>              | Ht: 1-3' x Sp 1-3'. Mat-forming perennial spreads by rhizomes. Flowers on short spikes above leaves. Well drained soil in full sun. Uses: cottage/herb gardens, rock garden, dried flowers.                                    | 3.5"            | \$4          |
| <b>FERNS</b>  |   |  | <b>pot size</b> | <b>price</b> |
|        | <b>Licorice Fern</b><br><i>Polypodium glycyrrhiza</i>     | Ht: to 2'. Spreads by rhizomes. Evergreen fern. Fronds resemble small sword ferns. Prefers shade and moisture. Uses: bank stabilization, by water feature, moist/shady border, small-scale woodland. NOTE: dormant in summer.  | 3"<br>Log       | \$5<br>\$16  |
|        | <b>Maidenhair Fern</b><br><i>Adiantum pedatum</i>         | Ht: to 1-1/2'. Deciduous fern. Finely cut fronds held aloft by wiry, dark stems. Needs moist soil in partial to full shade. Uses: bank stabilization, by water feature, moist/shady border, small-scale woodland, container.   | 1 gal           | \$8          |
|        | <b>Sword Fern</b><br><i>Polystichum munitum</i>           | Ht: to 4'. Evergreen fern. Leathery, shiny dark green fronds. Prefers rich, moist soils in shade but tolerates some sun and drought conditions. Uses: floral arrangements, en masse in woodland setting, bank stabilization.   | 1 gal<br>2 gal  | \$8<br>\$12  |
| <b>OTHER</b>  |   |  |                 |              |
| Mason Bee starter kit   |   | Includes:<br>1 cedar nesting box, 1 bundle teasel nesting tubes, 25 dormant cocoons,<br>2 bags Mason Bee mortar, 50 paper nesting tubes  |                 | \$80         |
| Mason Bee cocoons   |   | 25 mason bee cocoons   |                 | \$25         |
| Mason Bee paper tubes   |   | 1 bundle of paper tubes  |                 | \$15         |
| Mason Bee teasel tubes  |   | 1 bundle of teasel tubes   |                 | \$20         |